

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2009

Revision: 19.11.2009

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name: F1 CarClean Black 40 - Reifenschwärzer**
- **Application of the substance / the preparation**
Cleaning material/ Detergent
Auxiliary
see name of product
- **Manufacturer/Supplier:**
Detlef Francé
F1 CLEAN EUROPA VERTRIEB
Mühlenstr. 11 e
84174 Eching
Tel.: 0049 8709/928352
Fax: 0049 8709/928353
Mobil: 0049 151/56910460
vertrieb@f1clean.info
www.f1clean.info
- **Further information obtainable from:** vertrieb@f1clean.info
- **Information in case of emergency:** 112

2 Hazards identification

- **Hazard description:**



Xn Harmful

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 22 Harmful if swallowed.
R 36/38 Irritating to eyes and skin.
R 53 May cause long-term adverse effects in the aquatic environment.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 111-76-2	2-butoxyethanol	25 < 50%
EINECS: 203-905-0	☒ Xn, ☒ Xi; R 20/21/22-36/38	
	Kohlenwasserstoffe / Hydrocarbons (Benzene free) CAS 64741-65-7	25 < 50%
	☒ Xn; R 10-53-65-66	

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

GB

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2009

Revision: 19.11.2009

Trade name: **F1 CarClean Black 40 - Reifenschwärzer**

(Contd. of page 1)

4 First aid measures

- **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Call for a doctor immediately.

5 Fire-fighting measures

- **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Not required.

- **Measures for environmental protection:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

7 Handling and storage

- **Handling:**

- **Information for safe handling:**

No special measures required.

Prevent formation of aerosols.

- **Information about fire - and explosion protection:** No special measures required.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

III-76-2 2-butoxyethanol

WEL	Short-term value: 50 ppm
	Long-term value: 25 ppm
	Sk

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2009

Revision: 19.11.2009

Trade name: **F1 CarClean Black 40 - Reifenschwärzer**

(Contd. of page 2)

- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves:** Rubber gloves
- **Penetration time of glove material:**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
 PVC or PE gloves
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· General Information

Form:	Fluid
Colour:	Colourless
Odour:	Characteristic

· Change in condition

Melting point/Melting range:	< 10°C
Boiling point/Boiling range:	171°C

Flash point:	54°C
---------------------	------

Ignition temperature:	240°C
------------------------------	-------

Self-igniting:	Product is not selfigniting.
-----------------------	------------------------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

· Explosion limits:

Lower:	1.1 Vol %
Upper:	10.6 Vol %

Vapour pressure at 20°C:	1.2 hPa
---------------------------------	---------

Density at 20°C:	0.851 g/cm ³
-------------------------	-------------------------

Solubility in / Miscibility with water:	Insoluble.
--	------------

(Contd. on page 4)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2009

Revision: 19.11.2009

Trade name: F1 CarClean Black 40 - Reifenschwärzer

(Contd. of page 3)

· pH-value at 20°C: -

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Acute toxicity:**· **LD/LC50 values relevant for classification:****III-76-2 2-butoxyethanol**

Oral	LD50	1480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful
Irritant

12 Ecological information

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· **Product:**· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.11.2009

Revision: 19.11.2009

Trade name: *F1 CarClean Black 40 - Reifenschwärzer*

(Contd. of page 4)

14 Transport information

· **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 30
- **UN-Number:** 1993
- **Packaging group:** III
- **Hazard label:** 3
- **Description of goods:** 1993 FLAMMABLE LIQUID, N.O.S. (Kohlenwasserstoffe)

· **Maritime transport IMDG:**



- **UN Number:** 1993
- **Label:** 3
- **Packaging group:** III
- **EMS Number:** F-E,S-E
- **Marine pollutant:** No
- **Proper shipping name:** FLAMMABLE LIQUID, N.O.S. (Kohlenwasserstoffe)

· **Air transport ICAO-TI and IATA-DGR:**



- **UN/ID Number:** 1993
- **Label:** 3
- **Packaging group:** III
- **Proper shipping name:** FLAMMABLE LIQUID, N.O.S. (Kohlenwasserstoffe)

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xn Harmful

· **Hazard-determining components of labelling:**

Kohlenwasserstoffe / Hydrocarbons (Benzene free) CAS 64741-65-7
2-butoxyethanol

· **Risk phrases:**

- 22 Harmful if swallowed.
- 36/38 Irritating to eyes and skin.
- 53 May cause long-term adverse effects in the aquatic environment.

(Contd. on page 6)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2009

Revision: 19.11.2009

Trade name: FI CarClean Black 40 - Reifenschwärzer

(Contd. of page 5)

· **Safety phrases:**

- 2 Keep out of the reach of children.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 29 Do not empty into drains.
- 62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
- 59 Refer to manufacturer/supplier for information on recovery/recycling.

· **National regulations:**

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

aliphatic hydrocarbons

≥ 30%

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

- 10 Flammable.
- 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- 36/38 Irritating to eyes and skin.
- 53 May cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.
- 66 Repeated exposure may cause skin dryness or cracking.

· * **Data compared to the previous version altered.**

GB