Printing date 19.11.2009 Revision: 19.11.2009

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: F1 CarClean Ice 52 Enteiser
- · Application of the substance / the preparation see product name
- · Manufacturer/Supplier:

Detlef Francé

F1 CLEAN EUROPA VERTRIEB

Mühlenstr. 11 e 84174 Eching

Tel.: 0049 8709/928352 Fax: 0049 8709/928353 Mobil: 0049 151/56910460 vertrieb@f1clean.info www.f1clean.info

· Further information obtainable from: vertrieb@flclean.info

· Information in case of emergency: 112

2 Hazards identification

· Hazard description:





Xi Irritant

F Highly flammable

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 11 Highly flammable.

R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-63-0	propan-2-ol	🗶 Xi, 👸 F; R 11-36-67	50-100%
EINECS: 200-661-7			
	propane-1,2-diol		10 < 20%
EINECS: 200-338-0			

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 2)

Printing date 19.11.2009 Revision: 19.11.2009

Trade name: F1 CarClean Ice 52 - Enteiser

(Contd. of page 1)

· After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling: Keep away from heat and direct sunlight.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

57-55-6 propane-1,2-diol

WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 3)

Printing date 19.11.2009 Revision: 19.11.2009

Trade name: F1 CarClean Ice 52 - Enteiser

(Contd. of page 2)

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
 · Material of gloves
- · Material of gloves PVC or PE gloves

Recommended thickness of the material: ≥ 0.3 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves

· Eye protection:



Tightly sealed goggles

· General Information			
Form:	Fluid		
Colour:	Blue		
Odour:	Characteristic		
· Change in condition Melting point/Melting range:	< 30°C		
Boiling point/Boiling range:			
· Flash point:	13°C		
· Ignition temperature:	371°C		
· Self-igniting:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.		
· Explosion limits:			
Lower:	2.0 Vol %		
Upper:	12.6 Vol %		
· Vapour pressure at 20°C:	43 hPa		
· Density at 20°C:	0.835 g/cm³		
· Solubility in / Miscibility with			
water:	Fully miscible.		
-	Fully miscible. 7		

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.

(Contd. on page 4)

Printing date 19.11.2009 Revision: 19.11.2009

Trade name: F1 CarClean Ice 52 - Enteiser

(Contd. of page 3)

· Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

 Oral
 LD50
 5045 mg/kg (rat)

 Dermal
 LD50
 12800 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 30 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 3 Flammable liquids.

Danger code (Kemler): 33
UN-Number: 1993
Packaging group: II
Hazard label: 3

(Contd. on page 5)

Revision: 19.11.2009 Printing date 19.11.2009

Trade name: F1 CarClean Ice 52 - Enteiser

(Contd. of page 4)

· Description of goods: 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL

ALCOHOL))

· Maritime transport IMDG:



· IMDG Class:

· UN Number:

1993

· Label

· Packaging group:

3

II

· EMS Number:

F-E,S-E

· Marine pollutant:

· Proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class:

· UN/ID Number:

1993

·Label

· Packaging group:

II

· Proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

F Highly flammable

· Risk phrases:

11 Highly flammable.

36 Irritating to eyes.

67 Vapours may cause drowsiness and dizziness.

- · Safety phrases:
- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

11 Highly flammable.

(Contd. on page 6)

Printing date 19.11.2009 Revision: 19.11.2009

Trade name: F1 CarClean Ice 52 - Enteiser

(Contd. of page 5)

36 Irritating to eyes.

- 67 Vapours may cause drowsiness and dizziness.
- ·* Data compared to the previous version altered.

CD