Printing date 02.10.2009 Revision: 02.10.2009

I Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: F1 CLEAN LACKVERSIEGELUNG

(Sprühwachs)

· Application of the substance / the preparation

Emulsion

Cleaning material/ Detergent

· Manufacturer/Supplier:

Detlef Francé

F1 CLEAN EUROPA VERTRIEB

Mühlenstr. 11 e 84174 Eching

Tel.: 0049 8709/928352 Fax: 0049 8709/928353 Mobil: 0049 151/56910460 vertrieb@flclean.info www.flclean.info

· Further information obtainable from: vertrieb@flclean.info

· Information in case of emergency: 112

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

R 53 May cause long-term adverse effects in the aquatic environment.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- $\cdot \textbf{\textit{Description:}} \ \textit{Mixture of substances listed below with nonhazardous additions.}$
- · Dangerous components: Void
- · Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

Printing date 02.10.2009 Revision: 02.10.2009

Trade name: F1 CLEAN LACKVERSIEGELUNG

(Sprühwachs)

(Contd. of page 1)

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- \cdot Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

Printing date 02.10.2009 Revision: 02.10.2009

Trade name: F1 CLEAN LACKVERSIEGELUNG

(Sprühwachs)

(Contd. of page 2)

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves

· Eye protection: Goggles recommended during refilling

9 Physical and chemical properties	
· General Information	
Form:	Fluid
Colour:	White
Odour:	Characteristic
· Change in condition Melting point/Melting rango	
Boiling point/Boiling range	: 100°C
· Flash point:	44°C
· Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Vapour pressure at 20°C:	23 hPa
· Density at 20°C:	0.813 g/cm³
· Solubility in / Miscibility with water:	Partly miscible.
· pH-value at 20°C:	8.5
· Viscosity: Kinematic at 20°C:	50 s (DIN 53211/4)

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Revision: 02.10.2009 Printing date 02.10.2009

Trade name: F1 CLEAN LACKVERSIEGELUNG

(Sprühwachs)

(Contd. of page 3)

12 Ecological information

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 3 Flammable liquids.

· Danger code (Kemler): 30 · UN-Number: 1993 III· Packaging group:

· Description of goods: 1993 FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE)

· Maritime transport IMDG:



· Hazard label:

· IMDG Class: 3 1993 · UN Number: \cdot Label 3 III· Packaging group:

· EMS Number: F-E,S-E· Marine pollutant:

· Proper shipping name: FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE)

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 1993 · UN/ID Number:

· Label 3

(Contd. on page 5)

Printing date 02.10.2009 Revision: 02.10.2009

Trade name: F1 CLEAN LACKVERSIEGELUNG

(Sprühwachs)

(Contd. of page 4)

· Packaging group: III

· Proper shipping name: FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE)

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Risk phrases:

10 Flammable.

53 May cause long-term adverse effects in the aquatic environment.

· Safety phrases:

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

60 This material and its container must be disposed of as hazardous waste.

- · National regulations:
- · Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons

≥ 30%

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 \cdot * Data compared to the previous version altered.

GB