Printing date 15.10.2009

Revision: 15.10.2009

**1** Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: F1 CLEAN NANO MOTORRAD LACKVERSIEGELUNG
- Application of the substance / the preparation Protective impregnation
- · Manufacturer/Supplier:

Detlef Francé F1 CLEAN EUROPA VERTRIEB Mühlenstr. 11 e 84174 Eching Tel.: 0049 8709/928352 Fax: 0049 8709/928353 Mobil: 0049 151/56910460 vertrieb@f1clean.info www.f1clean.info

- · Further information obtainable from: vertrieb@flclean.info
- Information in case of emergency: 112

#### 2 Hazards identification

• Hazard description:



Xn Harmful

• Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

R 53 May cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

#### • Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 3 Composition/information on ingredients

#### · Chemical characterization

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

Kohlenwasserstoffe / Hydrocarbons (Benzene free) CAS 64741-65-7 Xn; R 10-53-65-66 50-100%

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 2)

GB

Printing date 15.10.2009

(Contd. of page 1)

#### **5** *Fire-fighting measures*

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Protective equipment: No special measures required.

#### 6 Accidental release measures

- Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- Measures for environmental protection:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or around water

Do not allow to enter sewers/ surface or ground water.

- *Measures for cleaning/collecting:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Dispose contaminated material as waste according to item 13.

## 7 Handling and storage

· Handling:

- · Information for safe handling:
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

#### 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- **Respiratory protection:** Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 3)

Printing date 15.10.2009

Revision: 15.10.2009

(Contd. of page 2)

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· General Information	
Form: Colour: Odour:	Fluid According to product specification Characteristic
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	
· Flash point:	44°C
· Self-igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.6 Vol %
Upper:	6.0 Vol %
· Density at 20°C:	0.8 g/cm <sup>3</sup>
• Solubility in / Miscibility with water:	Not miscible or difficult to mix.

## **10 Stability and reactivity**

- $\cdot$  Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 4)

GB

Revision: 15.10.2009

#### (Contd. of page 3)


### **12 Ecological information**

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **13 Disposal considerations**

- · Product:
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.



GB

### Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2009

Revision: 15.10.2009

(Contd. of page 4) · Proper shipping name: FLAMMABLE LIQUID, N.O.S. (TURPENTINE SUBSTITUTE) 15 Regulatory information · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. · Code letter and hazard designation of product: Xn Harmful · Hazard-determining components of labelling: Kohlenwasserstoffe / Hydrocarbons (Benzene free) CAS 64741-65-7 · Risk phrases: 10 Flammable. 53 May cause long-term adverse effects in the aquatic environment. 65 Harmful: may cause lung damage if swallowed. · Safety phrases: 2 Keep out of the reach of children. 29 Do not empty into drains. 46 If swallowed, seek medical advice immediately and show this container or label. 52 Not recommended for interior use on large surface areas. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant R-phrases

10 Flammable.

53 May cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

• \* Data compared to the previous version altered.