Printing date 12.10.2009 Revision: 12.10.2009

I Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: F1 CLEAN CARWASH Prewash S 62

Sauer eingestelltes Konzentrat für die maschinelle Vorreinigung

· Article number: GTW-60

· Application of the substance / the preparation Cleaning material/ Detergent

· Manufacturer/Supplier:

Detlef Francé

F1 CLEAN EUROPA VERTRIEB

Mühlenstr. 11 e 84174 Eching

Tel.: 0049 8709/928352 Fax: 0049 8709/928353 Mobil: 0049 151/56910460 vertrieb@f1clean.info www.flclean.info

- · Further information obtainable from: vertrieb@flclean.info
- · Information in case of emergency: 112

2 Hazards identification

· Hazard description:



Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
	2-butoxyethanol X Xn, X Xi; R 20/21/22-36/38	5 < 10%	
CAS: 7664-38-2 EINECS: 231-633-2	phosphoric acid Z C; R 34	5 < 10%	
	Benzyldimethyl- and Alkyldimethyl cationics 114	2.5 < 5%	
	ISOTRIDECETH-10	2.5 < 5%	
		(Contd. on page	

(Contd. on page 2)

Printing date 12.10.2009 Revision: 12.10.2009

Trade name: F1 CLEAN CARWASH Prewash S 62

Sauer eingestelltes Konzentrat für die maschinelle Vorreinigung

	(Co.	ntd. of page 1)
	Phosphorsäuremonomethylester ☐ C; R 34	≤ 2.5%
	Combination of Cationic Detergents, Quaternary ammonium compounds, di(hydrogenated tallow-alkyl) 2-hydroxyethyl methyl, methosulfates CAS 91995-81-2 Xi; R 38-41-52/53	
	COCAMIDE DEA	≤ 2.5%
CAS: 141-43-5 EINECS: 205-483-3	2-aminoethanol ☐ C, X Xn; R 20/21/22-34	≤ 2.5%

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

GE

Printing date 12.10.2009 Revision: 12.10.2009

Trade name: F1 CLEAN CARWASH Prewash S 62

Sauer eingestelltes Konzentrat für die maschinelle Vorreinigung

(Contd. of page 2)

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

WEL Short-term value: 50 ppm Long-term value: 25 ppm

7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

141-43-5 2-aminoethanol

WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm

Sk

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

- · Material of gloves Rubber gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· General Information

Form: Fluid
Colour: Orange
Odour: Characteristic

· Change in condition

Melting point/Melting range: o °C

(Contd. on page 4)

Printing date 12.10.2009 Revision: 12.10.2009

Trade name: F1 CLEAN CARWASH Prewash S 62

Sauer eingestelltes Konzentrat für die maschinelle Vorreinigung

		(Contd. of page 3)
Boiling point/Boiling range:	100°C	
· Flash point:	Not applicable.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Vapour pressure at 20°C:	23 hPa	
· Density at 20°C:	1.051 g/cm³	
· Solubility in / Miscibility with water:	Easily soluble.	
· pH-value at 20°C:	1.5	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

· General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Printing date 12.10.2009 Revision: 12.10.2009

Trade name: F1 CLEAN CARWASH Prewash S 62

Sauer eingestelltes Konzentrat für die maschinelle Vorreinigung

(Contd. of page 4)

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 8 Corrosive substances.

Danger code (Kemler): 80
UN-Number: 3264
Packaging group: III
Hazard label: 8

· Description of goods: 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(Phosphorsäuremonomethylester, PHOSPHORIC ACID, SOLUTION)

· Maritime transport IMDG:



· IMDG Class: 8
· UN Number: 3264
· Label 8
· Packaging group: III
· EMS Number: F-A,S-B

· Marine pollutant: No

· Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphorsäuremonomethylester, PHOSPHORIC ACID, SOLUTION)

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 8
· UN/ID Number: 3264
· Label 8
· Packaging group: III

· Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(Phosphorsäuremonomethylester, PHOSPHORIC ACID, SOLUTION)

Printing date 12.10.2009 Revision: 12.10.2009

Trade name: F1 CLEAN CARWASH Prewash S 62

Sauer eingestelltes Konzentrat für die maschinelle Vorreinigung

(Contd. of page 5)

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

· Risk phrases:

38 Irritating to skin.

41 Risk of serious damage to eyes.

· Safety phrases:

- 2 Keep out of the reach of children.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 39 Wear eye/face protection.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 59 Refer to manufacturer/supplier for information on recovery/recycling.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
cationic surfactants	5 - 15%
non-ionic surfactants	< 5%
perfumes	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

10 Flammable.

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

22 Harmful if swallowed.

34 Causes burns.

36/38 Irritating to eyes and skin.

38 Irritating to skin.

41 Risk of serious damage to eyes.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

* * Data compared to the previous version altered.

GB